

# CONTENTS Tradition and expertise 03 Textile calenders 04 Multicovering technology 13 teXmaster control system 13 Deflection-controlled rolls 14 Heating systems 17 R&D and service 18



# The all-rounder in textile calendering

# ANDRITZ teXcal s-roll

Almost any application can be finished with our teXcal s-roll calender. From traditional textiles, like home textiles or clothing, to technical textiles, such as air-bag fabrics, the teXcal s-roll applies one effect with best possible results.

With a maximum line force of 400 N/mm, the teXcal s-roll benchmarks standards and opportunities for multiple use. Combined with a thermo-elastic, homogeneous polyamide FlexRoll Sleeve, the teXcal s-roll creates first-class effects.

### Plug and play

Thanks to its compact design, the teXcal s-roll takes up extremely little space, which means it can be shipped by container to the point of assembly without having to be dismantled beforehand. As it is fully pre-assembled, wired and functionally tested, the calender can be commissioned almost immediately (plug and play).

### **Design features**


- Infinitely adjustable line force 30-400 N/mm
- Standard roll surface width from 1,800-3,600 mm (larger width possible for special applications)
- Adjustable pressing width to suit change in fabric web width
- Multicovering technology available
- Plug and play







- Home textiles
- Clothing
- Denim
- Upholstery material
- Sun protection fabrics
- Filter fabrics
- Air-bag fabrics
- Wall coverings





# The expert in clothing and home textiles

# ANDRITZ teXcal hycon L

Double your benefit in a single cycle. Two effects, like gloss and soft handle, especially suited for clothing and home textiles, can be achieved in one fabric passage.

Soft handle and gloss are much requested effects in clothing and home textiles. The teXcal hycon L calender with its L-shaped roll arrangement and infinitely adjustable line forces in the top nip and rear nip provides not only this specific soft handle effect, but also a multitude of other effects, including smoothness and density.


# **Design features**

- Line force of 50-300 N/mm can be adjusted individually in each nip without stopping production
- Roll surface width of 1,800-3,600 mm (larger width possible for special applications)
- Adjustable pressing width to suit change in web width
- Thermal relief of the FlexRoll Sleeve alongside the web by means of




# Some final product applications

- Home textiles
- Shirting
- Knitted goods
- Linings















# The revolution in technical textiles

# ANDRITZ teXcal trike

This calender takes you a step ahead by maximizing flexibility with two independent nips. Fabric losses at the seam passage are minimized, providing a substantial economic advantage for your production operations. Be it parachute fabrics, sailcloth, sportswear, or down-proof textiles, our teXcal trike calender meets every application demand perfectly.

Besides being operator-friendly, calenders need to provide a high degree of flexibility, reproducibility, and process control. The patented teXcal trike meets these requirements ideally and sets new standards for sophisticated technical textiles.

### What is the secret?

The innovative teXcal trike is a three-roll calender with a triangular roll arrangement. A heated top steel roll and two identical or different deflection-controlled system rolls allow individual pressure adjustment. Depending on the product, the fabric can be fed through the front nip, the rear nip, or both.

# **Design features**

- Line force of 30-400 N/mm can be adjusted individually in each nip without stopping production
- Minimum fabric loss in the event of seams
- Standard roll surface width of 1,800-3,600 mm (larger width possible for special applications)
- Multicovering technology possible
- Plug and play





# Some final product applications

- Parachute fabrics
- Sailcloth
- Sportswear
- Packaging material
- Down-proof textiles









# **Tailor-made solution**

# Keeps you a step ahead

Our latest development takes you beyond today's standards. Combine two ANDRITZ all-round calenders – teXcal s-roll and teXcal trike – and your options multiply. This system solution offers utmost flexibility in production and a unique finish for every end use.

As a leading textile industry supplier, our R&D concentrates on your requirements and competitive edge. Placing a teXcal s-roll in line with a teXcal trike allows you to produce a fabric with maximum flexibility when changing fabric width, speed,

line force or finishing effect. One single calender or two calenders combined can ensure optimum results. Partner with ANDRITZ to set new benchmarks in textile finishing.

### Some final product applications

- Technical textiles
- Traditional textiles
- African damask



# **Special applications, special machines**Fulfill your special needs

Another focus lies on solutions for special applications and niche markets to generate highly sophisticated results. Special needs require a special solution, and we can provide the perfect technology to maintain your competitive edge.

### **Embossing specialist**

For final products like velvet, plush, clothing and furnishing fabrics as well as fake fur, our teXcal embossing calender is the right solution, embossing flat and pile fabrics and applying transfer and metallic printing. Sleeves can be changed easily by using an embossing shell in the center position.

# Some final product applications

- Automotive
- Wall coverings
- Upholstery



# Master in textile crushing

The ANDRITZ teXcrush finishing system is frequently used after a stentering frame for breaking the finished web. The horizontally arranged rolls offer the best results for foamtreated blackout curtains, for example. Compact design and optimal material feed allows easy integration into any finishing line.

# Some final product applications

- Blackout curtains
- Non-transparent curtains





# **Textile finishing system solution**

# One source, one partner

Guarantee a smooth process with our textile finishing system solution. Ensure your production operations are perfectly and continuously in tune, from unwinding to rewinding and all the necessary or optional peripheral equipment – all available from us.

### Inlet

This can encompass a fabric infeed frame, traction device, seam and metal detectors, humidifying device, web guiding, and an expander system.

### Outlet

Our outlet equipment can include cooling rolls, a peripheral winder, ascending roll winder, a combination of winder and plaiter, center drives for delicate fabrics, an antistatic device, and inline gauges to measure thickness, air permeability, and so on.

### Line control

Continious process control ensures high quality and maximized uptimes. A touch panel with recipe management simplifies checks, and a closed-loop operation control system could also be included in your process.

### **Benefits**

- One source
- Process guarantee
- Feasibility check possible in our technical center



# Quick and easy sleeve change

# Multicovering technology

Add value to your production with our multicovering technology, and achieve various calender effects with quick and easy sleeve changes. As the only enterprise that delivers this outstanding technology, we ensure maximized flexibility and production time.

This pioneering invention allows a sleeve change without removing the roll or opening the hydraulic system. The steel tube is covered with a basic coating and a FlexRoll sleeve. Depending on the desired calender effect, production can continue with the basic coating or the sleeve. In addition, the FlexRoll sleeve is extremely robust and resistent to indentations like seams, weaving faults, and folds.

### **Benefits**

- Quick and easy sleeve change
- Various calendering effects
- Hardness level 65-95 Sh D
- Maximized uptime



# Process reliability through automation

# teXmaster inline quality control

Optimize the quality of your product and minimize process errors. Our teXmaster control system is the right choice to fulfill these demands. Ensure top quality through automation.

To meet today's top-level textile production demands, we have taken a leaf from a proven technology in the paper industry: the teXmaster inline quality control system. Increase your production time in closed-loop operation for inline quality measurements on the product.

The calender is controlled entirely through this system, which offers a broad spectrum of possibilities for recording process data, managing recipes, issuing alarm signals, data analysis, and displaying trends.

### How does this work?

A measuring sensor installed at the calender outlet measures the calendered fabric continuously, e.g. air permeability or thickness. Comparing set values with the current values, the teXmaster corrects such machine parameters as pressure, temperature, or speed automatically. Operator errors are minimized.

# Benefits

- Process automation
- Closed-loop operation available
- Simple configuration
- Maximized uptime

12 13

# Long-standing expertise in roll technology

# ANDRITZ Swimming Roll (S-Roll)

As the first deflection-controlled roll in the world, the S-Roll revolutionized calendering technology and is designed for a wide range of applications to ensure best results.

An almost unlimited number of applications can be finished with our S-Roll. Maximum flexibility and highest quality is ensured by our in-house manufacturing. Continuous R&D adapts and optimizes the S-Roll to meet every demand of the textile market.


### Take a peek behind the scenes

The roll is designed to follow the bending of the counter-roll and achieve maximum flexibility for your production. This allows rolls to be absolutely cylindrical and avoids friction. The roll has a fixed axle with a tube rotating around it. The inner part is divided into two different chambers allowing the roll shell to bend towards the counter-roll. The line pressure can be adjusted individually.

### **Features**

- Hydraulic pressure chamber
- Variable adjustment of fabric width
- Variable line force
- Correction: left center right
- Line force: 30-400 N/mm
- Quick and easy sleeve change
- Multicovering technology possible





▲ S-Roll principle



 $\blacktriangle$  Increased line force in center



▲ Even line force at full fabric width



▲ Increased line force at the edges

# **Hydrostatic deflection control**

# ANDRITZ HyCon Roll

Contrary to the Swimming Roll, the HyCon Roll has hydrostatic pistons for deflection control. This is necessary when two different effects, like gloss and density, need to be created in one fabric passage.

Adding yet another benefit while increasing flexibility in production, the roll controls the line pressure in both nips independently. Manufacture of our rolls and sleeves inhouse ensures highest quality control.

### **Uncover the secret**


The rotating polyamide FlexRoll Sleeve of the deflection-controlled roll is supported on hydrostatic elements (pistons). The uniform, infinitely adjustable line force is transmitted to the FlexRoll Sleeve via an oil film. The pressure width can be adjusted by switching the supported elements on and off symmetrically.

### Features


- Piston control
- Variable adjustment of fabric width
- Variable line force
- Two independently adjustable effect nips
- Retraction of piston for edge relief
- Line force: 50-300 N/mm



▲ HyCon L insight



▲ Schematic of support elements (pistons)



▲ HyCon I principle



▲ Roll retraction at full fabric width



▲ Roll retraction at narrow fabric width

14 15

# Ultimate profile control

# ANDRITZ Xpro Roll

Absolute flatness, highest quality, and air permeability are vital in technical textiles, like sailcloth or parachute fabrics. Highest flexibility is achieved with our proven Xpro Roll technology, providing unrestricted profiling over the entire fabric width.


Quality tolerances are shrinking and market needs are increasing every day. This is the reason why we have adapted our own, proven roll technology, which has long been established in the paper industry, to meet the requirements in the production of technical textiles.

### **Unfold the truth**


The line force can be varied infinitely from a minimum of 50 N/mm to a maximum of 400 N/mm via the individual elements. In addition to the flexible fabric width adjustment, this technology offers precise adjustment of each piston individually. When combined with our teXmaster quality control system, this achieves the ultimate in profile control.

### **Features**


- Ultimate piston control
- Single piston adjustment for profile setting
- Variable adjustment of fabric width
- Variable line force
- Quick and easy sleeve change
- Line pressure: 50-400 N/mm



▲ Schematic of support elements (pistons)



Xpro Roll touch panel




# **Heating systems**


# Two options for your calender

Depending on your regional conditions and demands, you can heat the steel roll in two different ways – with thermal oil or electrically generated steam. We take your energy costs into account to determine the most advantageous option for you.

### Thermal oil heating


- Counter-flow principle for optimal temperature distribution
- Max. roll surface temperature: 250° C
- Temperature accuracy: ±1.5° C over the entire fabric width
- Quick cooling down time due to heat exchanger in the secondary circuit
- Variable primary energy: electricity, gas, oil






### **Electric steam heating**

- Large steam chamber for excellent temperature uniformity
- Highest energetic efficiency due to optimal roll wall thickness and large internal bore
- Max. roll surface temperature: 230° C
- Temperature accuracy: ±1.5° C over the entire fabric width
- Short heating up time due to lowest heat loss
- Compact design and no need for peripheral components
- Plug and play





16 17

# Peak your production performance

# Spot-on development and service

Continuous research and development targeting your needs in an ever more demanding market. Ensure a fast, profitable, and sustained ROI with our highly skilled service engineers. You can fall back on more than 150 years' experience and expertise.

### Research and development

Ongoing R&D can come up with multiple solutions to leverage textile finishing technologies. Being dedicated to high quality and innovative production technologies propels us to seek ideal solutions. Let our combined forces achieve maximum results. Highly skilled staff provide the best and unique know-how based on our installed base and continuous R&D.

# Responsive service

We provide the best technology and round the clock service support for top performance. Your process value is guaranteed long after the warranty period has expired with ANDRITZ Küsters as your partner.

### Reliable and prompt

Our highly trained field and service engineers as well as our 24/7 hotline ensure best and prompt support. With our worldwide service centers, we are close to where you are – prompt and reliable.


### **Technical center**

The state-of-the-art installations at our technical center in Krefeld and expert process engineers work with you to develop and ensure reliable technologies and process optimization. Evaluating new processes and defining parameters for product guarantees are yet another main focus.

### Service activities

- Answers to technical queries
- Assistance with installation, operation, and maintenance
- Preventive maintenance through regular online diagnosis and service recommendations
- Quick response
- Well stocked genuine spare parts
- Possibility of upgrades or modernization work to improve your production









## CONTACT

**GERMANY** 

ANDRITZ Küsters GmbH

Krefeld, Germany Phone: +49 (2151) 34 0 CHINA

ANDRITZ (Wuxi) Nonwoven Technology Co. Ltd

Wuxi, P.R. China

Phone: +86 (510) 8536 1269

USA

ANDRITZ Küsters
Division of ANDRITZ Inc.

Spartanburg, USA Phone: +1 (864) 587 4848



www.andritz.com/textile kuesters@andritz.com

All data, information, statements, photographs, and graphic illustrations in this leaflet are without any obligation and raise no liabilities to or form part of any sales contracts of ANDRITZ AG or any affiliates for equipment and/or systems referred to herein. © ANDRITZ AG 2015. All rights reserved. No part of this copyrighted work may be reproduced, modified or distributed in any form or by any means, or stored in any database or retrieval system, without the prior written permission of ANDRITZ AG or its affiliates. Any such unauthorized use for any purpose is a violation of the relevant copyright laws. ANDRITZ AG, Stattegger Strasse 18, 8045 Graz, Austria.

KNB.tc.02.en.09.15